





# USER- INSTALLATION INSTRUCTIONS AND SPECIAL CONDITIONS FOR

## **IPHONE 15 EX-D**

Read this document and all documents that are referred to before operation, start-up or testing of the device.

The documents contain important safety instructions.



#### The special instructions for safe use, described in this document must be carefully adhered to:

- Read the user manual provided by Apple, before using the device.
- No electrical connections to the equipment are permitted in hazardous areas.
- Do not connect / recharge the equipment unless the area is known to be non-hazardous! (earplugs, battery charger)
- The equipment must never be opened dismantled or modified.
- The equipment does not contain any serviceable parts, and must be replaced completely at the end
  of its technical life or when damaged.
- Handle the equipment carefully and with diligence.
- The equipment shall be protected against impacts, excessive UV light and against high electrostatic charge generating processes.
- Do not hold the equipment under water or leave outside in the rain.
- Before entering the hazardous area, the equipment shall be checked on damage and proper functioning. Damaged or defective equipment shall be taken out of the hazardous area immediately!
- Rubber bumpers must be installed on all four corners at all times, and must be visually inspected for good condition.
- The bottom cover and fastener of the bottom cover shall be in place and hand tight fastened before entering the hazardous area.
- The simcard cover and the bolts of the simcard cover shall be in place and hand tight fastened before
  entering the hazardous area.
- Only use the original charge cable which is supplied with the device
- Ambient temperature range is -20°C ≤ Ta ≤ +50°C.
- A repair of flameproof joints is not allowed according to IEC 60079-1 values.
- The minimum property class of screws must be A4-70. Only original parts from manufacturer shall be used.
- The glass windows (front and camera) must be protected from high impact energy > 2J.
- Device shall not be opened in hazardous location. Battery charging and sim card installation is only allowed outside hazardous location.
- Additional accessory EX-ATEXXO-STRAP can be used only as original part from manufacturer

#### MANUAL MUST BE READ BEFORE USE AND IS AVAILABLE VIA:

www.atexxo.com/documents





2023-03-Ex-iPhone 15-DOC-008-B Declaration of Conformity iPhone 15 casing Ex d



FN 301 908-1 V15 1 1

## **EU Declaration of Conformity**

We, Atexxo B.V. declare under our sole responsibility that the product to which this declaration relates is in accordance with the provision of the following directives and standards:

The Flameproof (Ex d) mobile phone model

### MOB-EXd-IPH-15 & MOB-EXd-IPH-15-21

Manufactured by: Atexxo B.V., Einsteinstraat 13, 3281 NJ Numansdorp, The Netherlands

> Consisting of: Mobile phone in Ex d Casing Type: iPhone 15 (A2846, A3089, A3090 and A3092)

Directive 2014/34/EU, EU - Type Examination Certificate EPS 24 ATEX 1 207 X 2014/53/EU, 2009/125/EC and 2011/65/EU

C € Ex II 2G Ex db IIC T4 Gb

CEEN II 2D Ex th IIIC T135°C Db

ATEX Notified Body for EU - Type Examination Certificate Bureau Veritas Consumer Products Services Germany GmbH, Businesspark A96, 86842 Türkheim, Germany

ATEX Notified Body for Production Quality Assurance Certificate
CSA Group Netherlands B.V., <u>Utrechtseweg</u>, 310, Building B42, 6812 AR, Arnhem, The Netherlands
Production Quality Assurance Notification: <u>CSANe</u> 21A TEXM812
Notified Body Identification Number: 2813

Is in conformity with the provisions of the following European Union (harmonized) standards:

FN 300 440 V2 2 1

EN 60079-1:2014 EN 301 441 V2.1.1 EN 301 908-2 V13.1.1 EN 60079-31: 2014 EN 301 489-17 V3.2.5 [DRAFT] EN 301 908-13 V13 2 1 EN 50360:2017 EN 301 489-19 V2.2.1 [DRAFT] EN 301 908-25 V15.1.1 0.0.14(2023-03) DRAFT EN 50566:2017 EN 301 489-33 V2.2.1 EN 302 065-1 V2.1.1 EN 50663:2017 EN 301 489-52 V1.2.1 EN 303 413 V1.2.1 EN 60665:2017 EN 301 489-20 V2.2.1 EN 301 511 V12.5.1 IEC 62368-1:2018 [2020+A11:2020] EN 300 328 V2.2.2 EN 300 330 V2.1.1

EN 301 489-1 V2.2.3 EN 300 330 V2.1.1 EN 55032:2015+A11:2020 EN 301 489-3 V2.3.2 EN 301 893 V2.1.1 EN 55035:2017+A11:2020

Numansdorp, 20st of December 2024

drs. ing. D.W. van Tienhoven Managing Director

EN IEC 60079-0:2018

