



# IECEX Certificate of Conformity

## INTERNATIONAL ELECTROTECHNICAL COMMISSION IEC Certification System for Explosive Atmospheres

for rules and details of the IECEx Scheme visit [www.iecex.com](http://www.iecex.com)

Certificate No.: **IECEX EPS 24.0072X** Page 1 of 3 [Certificate history:](#)  
Status: **Current** Issue No: 0  
Date of Issue: 2024-12-20  
Applicant: **Atexxo B.V.**  
Einsteinstraat 13  
3281 NJ Numansdorp  
**Netherlands**  
Equipment: **MOB-EXd-IPH-15 and MOB-EXd-IPH-15-21**  
Optional accessory: EX-ATEXXO-STRAP  
Type of Protection: **d, t**  
Marking: Ex db IIC T4 Gb  
Ex tb IIIC T135°C Db

Approved for issue on behalf of the IECEx  
Certification Body:

Position:

Signature:  
(for printed version)

Date:  
(for printed version)



1. This certificate and schedule may only be reproduced in full.
2. This certificate is not transferable and remains the property of the issuing body.
3. The Status and authenticity of this certificate may be verified by visiting [www.iecex.com](http://www.iecex.com) or use of this QR Code.



Certificate issued by:

**Bureau Veritas Consumer Products Services Germany GmbH**  
**Businesspark A96**  
**86842 Türkheim**  
**Germany**





# IECEX Certificate of Conformity

Certificate No.: **IECEX EPS 24.0072X**

Page 2 of 3

Date of issue: 2024-12-20

Issue No: 0

Manufacturer: **Atexo B.V.**  
Einsteinstraat 13  
3281 NJ Numansdorp  
**Netherlands**

Manufacturing  
locations:

This certificate is issued as verification that a sample(s), representative of production, was assessed and tested and found to comply with the IEC Standard list below and that the manufacturer's quality system, relating to the Ex products covered by this certificate, was assessed and found to comply with the IECEx Quality system requirements. This certificate is granted subject to the conditions as set out in IECEx Scheme Rules, IECEx 02 and Operational Documents as amended

## STANDARDS :

The equipment and any acceptable variations to it specified in the schedule of this certificate and the identified documents, was found to comply with the following standards

**IEC 60079-0:2017** Explosive atmospheres - Part 0: Equipment - General requirements  
Edition:7.0

**IEC 60079-1:2014** Explosive atmospheres - Part 1: Equipment protection by flameproof enclosures "d"  
Edition:7.0

**IEC 60079-31:2022** Explosive atmospheres – Part 31: Equipment dust ignition protection by enclosure "t"  
Edition:3.0

This Certificate **does not** indicate compliance with safety and performance requirements other than those expressly included in the Standards listed above.

## TEST & ASSESSMENT REPORTS:

A sample(s) of the equipment listed has successfully met the examination and test requirements as recorded in:

Test Report:

[DE/EPS/ExTR24.0080/00](#)

Quality Assessment Report:

[NL/KIWA/QAR19.0002/04](#)



# IECEX Certificate of Conformity

Certificate No.: **IECEX EPS 24.0072X**

Page 3 of 3

Date of issue: 2024-12-20

Issue No: 0

## **EQUIPMENT:**

Equipment and systems covered by this Certificate are as follows:

Both models MOB-EXd-IPH-15 and MOB-EXd-IPH-15-21 are a flameproof enclosure containing an iPhone 15 mobile phone. The housing is constructed from aluminium. The front and camera glass are made of toughened specialty glass. The bottom window is made of specialty plastic and is designed to support wireless charging. The front glass is covered with an aluminium cover which has an opening for the touch display. Push buttons are made of aluminium and are kept in place by stainless steel retaining washers.

## Electrical data:

Voltage: 3.876 VDC

Battery capacity: 3349 mAh / 12.981 Wh

## **SPECIFIC CONDITIONS OF USE: YES as shown below:**

Sim card installation is possible (in safe area) by end user by removing the aluminium sim cover.

Ambient temperature range is:  $-20\text{ }^{\circ}\text{C} \leq T_{\text{amb}} \leq +50\text{ }^{\circ}\text{C}$ .

A repair of flameproof joints is not allowed according to IEC 60079-1 values.

The minimum property class of screws must be A4-70. Only original parts from manufacturer shall be used.

The glass window must be protected from high impact energy  $>2\text{J}$ . Same for the backside camera glass.

Device shall not be opened in hazardous location. Battery charging is only allowed outside hazardous location.

Additional accessory EX-ATEXXO-STRAP can be used only as original part from manufacturer.