Atexxo Manufacturing

USER- INSTALLATION INSTRUCTIONS AND SPECIAL CONDITIONS FOR

IPHONE 17 EX-D

Read this document and all documents that are referred to before operation, start-up or testing of the device.

The documents contain important safety instructions.

Atexxo Manufacturing - Einsteinstraat 13 - 3281 NJ - Numansdorp - The Netherlands
Phone +31 (0) 186 601 299 - Fax +31 (0) 186 890 717 - info@atexxo.com - www.atexxo.com

The special instructions for safe use, described in this document must be carefully adhered to:

- Read the user manual provided by Apple, before using the device.
- No electrical connections to the equipment are permitted in hazardous areas.
- Do not connect / recharge the equipment unless the area is known to be non-hazardous! (earplugs, battery charger)
- The equipment must never be opened dismantled or modified.
- The equipment does not contain any serviceable parts, and must be replaced completely at the end of its technical life or when damaged.
- Handle the equipment carefully and with diligence.
- The equipment shall be protected against impacts, excessive UV light and against high electrostatic charge generating processes.
- Do not hold the equipment under water or leave outside in the rain.
- Before entering the hazardous area, the equipment shall be checked on damage and proper functioning. Damaged or defective equipment shall be taken out of the hazardous area immediately!
- Rubber bumpers must be installed on all four corners at all times, and must be visually inspected for good condition.
- The bottom cover and fastener of the bottom cover shall be in place and hand tight fastened before entering the hazardous area.
- The simcard cover and the bolts of the simcard cover shall be in place and hand tight fastened before entering the hazardous area.
- Only use the original charge cable which is supplied with the device
- Ambient temperature range is -20°C ≤ Ta ≤ +50°C.
- A repair of flameproof joints is not allowed according to IEC 60079-1 values.
- The minimum property class of screws must be A4-70. Only original parts from manufacturer shall be used.
- The front glass and camera window must be protected from high impact energy > 2J.
- Device shall not be opened in hazardous location. Battery charging and sim card installation is only allowed outside hazardous location.
- Additional accessory EX-ATEXXO-STRAP can be used only as original part from manufacturer

MANUAL MUST BE READ BEFORE USE AND IS AVAILABLE VIA:

www.atexxo.com/documents

Atexxo Manufacturing - Einsteinstraat 13 - 3281 NJ - Numansdorp - The Netherlands
Phone +31 (0) 186 601 299 - Fax +31 (0) 186 890 717 - info@atexxo.com - www.atexxo.com

Atexxo Manufacturing

EU Declaration of Conformity

We, Atexxo B.V. declare under our sole responsibility that the product to which this declaration relates is in accordance with the provision of the following directives and standards:

The Flame proof (Ex d) and Dust tight (Ex t) mobile phone model

MOB-EXd-IPH-17

Manufactured by:
Atexxo B.V., Einsteinstraat 13, 3281 NJ Numansdorp, The Netherlands

Consisting of: Mobile phone in Ex d Casing
Type: iPhone 17 (A3520)

Directive 2014/34/EU, EU - Type Examination Certificate **EPS 26 ATEX 1 043 X**
Directives 2009/125/EC, 2011/65/EU, 2014/53/EU, 2019/882/EU and 2023/1542/EU

CE Ex **II 2G Ex db IIC T4 Gb**

CE Ex **II 2D Ex tb IIIC T135ºC Db**

ATEX Notified Body for EU - Type Examination Certificate
Bureau Veritas Consumer Products Services Germany GmbH,
Businesspark A96, 86842 Türkheim, Germany

ATEX Notified Body for Production Quality Assurance Certificate
CSA Group Netherlands B.V., Utrechtseweg 310, Building B42, 6812 AR, Arnhem, The Netherlands
Production Quality Assurance Notification: **CSANe 21ATEXM812**
Notified Body Identification Number: **2813**

Is in conformity with the provisions of the following European Union (harmonized) standards:

EN IEC 60079-0:2018	EN 301 489-33 V2.2.1	EN 301 908-25 V15.1.1
EN 60079-1:2014	EN 301 489-52 V1.3.1	EN 301 908-1 V15.2.1
EN 60079-31: 2014	EN 55032:2015+A1:2020	EN 301 441 V2.1.1
IEC 62368-1: 2018 [2020+A11:2020]	EN 55035:2017+A11:2020	EN 300 330 V2.1.1
EN 50663:2017	EN 300 328 V2.2.2	EN 303 413 V1.2.1
EN 50665:2017	EN 300 440 V2.2.1	EN 18031-1:2024
EN 50566:2017 + A1:2023	EN 301 893 V2.2.1	EN 18031-2:2024
EN 50360:2017 + A1:2023	EN 303 687 V1.1.1	EN 18031-3:2024
EN 301 489-1 V2.2.3	EN 300 330 V2.1.1	EN IEC 63000:2018
EN 301 489-3 V2.3.2	EN 302 065-1 V2.1.1	EN 50564:2011
EN 301 489-17 V3.3.1	EN 301 511 V12.5.1	IEC 62301:2011
EN 301 489-19 V2.2.1	EN 301 908-2 V13.1.1	Regulation 2023/826
EN 301 489-20 V2.2.1	EN 301 908-13 V13.3.1	Regulation 2023/1670

Numansdorp, 30-03-2026

drs. ing. D.W. van Tienhoven
Managing Director